

Atlas CF Flange Price List Aluminum / Stainless

December, 2006

 Atlas Technologies, www.AtlasUHV.com, info@AtlasUHV.com, Tel: (360) 385-3123 Fax: (360) 379-5220

US/Metric	Ordering Number + Select Bolt Hole Format	Clearance \$	Tapped \$
1.33" 34 mm DN 16 CF	1.33 AL/SS-WNNR.50-C, US, mm	\$ 108	\$ 112
	1.33 AL/SS-WNNRB-C, US, mm	\$ 108	\$ 112
	1.33 AL/SS-WNR.50-C, US, mm	\$ 108	\$ 112
	1.33 AL/SS-WNRB-C, US, mm	\$ 108	\$ 112
	1.33 AL/SS-FMNR.50-C, US,mm	\$ 108	\$ 112
	1.33 AL/SS-FMNRB-C, US, mm	\$ 108	\$ 112
		\$ -	\$ -
2.125" 54 mm	2.125 AL/SS-WNNR.75-C, US, mm	\$ 151	\$ 161
	2.125 AL/SS-WNNRB-C, US, mm	\$ 164	\$ 171
	2.125 AL/SS-WNR.75-C, US, mm	\$ 151	\$ 161
	2.125 AL/SS-WNRB-C, US, mm	\$ 164	\$ 171
	2.125 AL/SS-FMNR.75-C, US, mm	\$ 151	\$ 161
	2.125 AL/SS-FMNRB-C, US, mm	\$ 164	\$ 171
		\$ -	\$ -
2.75" 70 mm DN40 CF	2.75 AL/SS-WNNR1.25-C, US, mm	\$ 192	\$ 208
	2.75 AL/SS-WNNRB-C, US, mm	\$ 208	\$ 222
	2.75 AL/SS-WNR1.25-C, US, mm	\$ 192	\$ 208
	2.75 AL/SS-WNRB-C, US, mm	\$ 208	\$ 222
	2.75 AL/SS-FMNR1.25-C, US, mm	\$ 192	\$ 208
	2.75 AL/SS-FMNRB-C, US, mm	\$ 208	\$ 222
		\$ -	\$ -
3.375" 87 mm	3.375 AL/SS-WNNR1.75-C, US, mm	\$ 325	\$ 335
	3.375 AL/SS-WNNRB-C, US, mm	\$ 413	\$ 425
	3.375 AL/SS-WNR1.75-C, US, mm	\$ 325	\$ 335
	3.375 AL/SS-WNRB-C, US, mm	\$ 413	\$ 425
	3.375 AL/SS-FMNR1.75-C, US, mm	\$ 325	\$ 335
	3.375 AL/SS-FMNRB-C, US, mm	\$ 413	\$ 425

Atlas CF Flange Price List Aluminum / Stainless			December, 2006	
Atlas Technologies, www.AtlasUHV.com, info@AtlasUHV.com, Tel: (360) 385-3123 Fax: (360) 379-5220				
US/Metric		Ordering Number + Select Bolt Hole Format	Clearance \$	Tapped \$
4.50" 114 mm DN63 CF		4.50 AL/SS-WNNR2.25-C, US, mm	\$ 433	\$ 446
		4.50 AL/SS-WNNRB-C, US, mm	\$ 607	\$ 621
		4.50 AL/SS-WNR2.25-C, US, mm	\$ 433	\$ 446
		4.50 AL/SS-WNRB-C, US, mm	\$ 607	\$ 621
		4.50 AL/SS-FMNR2.25-C, US, mm	\$ 433	\$ 446
		4.50 AL/SS-FMNRB-C, US, mm	\$ 607	\$ 621
			\$ -	\$ -
4.625" 117 mm		4.625 AL/SS-WNNR2.75-C, US, mm	\$ 590	\$ 601
		4.625 AL/SS-WNNRB-C, US, mm	\$ 741	\$ 752
		4.625 AL/SS-WNR2.75-C, US, mm	\$ 590	\$ 601
		4.625 AL/SS-WNRB-C, US, mm	\$ 741	\$ 752
		4.625 AL/SS-FMNR2.75-C, US, mm	\$ 590	\$ 601
		4.625 AL/SS-FMNRB-C, US, mm	\$ 741	\$ 752
		\$ -	\$ -	
6.00" 152 mm DN 100 CF		6.00 AL/SS-WNNR3.75-C, US, mm	\$ 745	\$ 786
		6.00 AL/SS[AL CORE]-WNNRB-C, US, mm	\$ 997	\$ 1,052
		6.00 AL/SS-WNNRB-C, US, mm	\$ 878	\$ 917
		6.00 AL/SS-WNR3.75-C, US, mm	\$ 745	\$ 786
		6.00 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 997	\$ 1,052
		6.00 AL/SS-WNRB-C, US, mm	\$ 878	\$ 917
		6.00 AL/SS-FMNR3.75-C, US, mm	\$ 745	\$ 786
		6.00 AL/SS[AL CORE]-FMNRB-C, US, mm	\$ 997	\$ 1,052
		6.00 AL/SS-FMNRB-C, US, mm	\$ 878	\$ 917

Atlas CF Flange Price List Aluminum / Stainless			December, 2006	
Atlas Technologies, www.AtlasUHV.com, info@AtlasUHV.com, Tel: (360) 385-3123 Fax: (360) 379-5220				
US/Metric		Ordering Number + Select Bolt Hole Format	Clearance \$	Tapped \$
6.75" 171 mm		6.75 AL/SS-WNNR4.87-C, US, mm	\$ 861	\$ 892
		6.75 AL/SS[AL CORE]-WNNRB-C, US, mm	\$ 839	\$ 872
		6.75 AL/SS-WNNRB-C, US, mm	\$ 1,046	\$ 1,084
		6.75 AL/SS-WNR4.87-C, US, mm	\$ 861	\$ 892
		6.75 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 839	\$ 872
		6.75 AL/SS-WNRB-C, US, mm	\$ 1,046	\$ 1,084
		6.75 AL/SS-FMNR4.87-C, US, mm	\$ 861	\$ 892
		6.75 AL/SS[AL CORE]-FMNRB-C, US, mm	\$ 839	\$ 872
		6.75 AL/SS-FMNRB-C, US, mm	\$ 1,046	\$ 1,084
			\$ -	\$ -
8.00" 203 mm DN-160CF		8.00 AL/SS-WNNR5.75-C, US, mm	\$ 989	\$ 1,036
		8.00 AL/SS[AL CORE]-WNNRB-C, US, mm	\$ 1,252	\$ 1,310
		8.00 AL/SS-WNNRB-C, US, mm	\$ 1,439	\$ 1,491
		8.00 AL/SS-WNR5.75-C, US, mm	\$ 989	\$ 1,036
		8.00 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 1,252	\$ 1,310
		8.00 AL/SS-WNRB-C, US, mm	\$ 1,439	\$ 1,491
		8.00 AL/SS-FMNR5.75-C, US, mm	\$ 989	\$ 1,036
		8.00 AL/SS[AL CORE]-FMNRB-C, US, mm	\$ 1,252	\$ 1,310
		8.00 AL/SS-FMNRB-C, US, mm	\$ 1,439	\$ 1,491
			\$ -	\$ -
10.0" 254 mm DN200 CF		10.0 AL/SS-WNNR7.750-C, US, mm	\$ 1,367	\$ 1,420
		10.0 AL/SS[AL CORE]WNNRB-C, US, mm	\$ 1,449	\$ 1,506
		10.0 AL/SS-WNNRB-C, US, mm	\$ 1,981	\$ 2,039
		10.0 AL/SS-WNR7.75-C, US, mm	\$ 1,464	\$ 1,420
		10.0 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 1,449	\$ 1,506
		10.0 AL/SS-WNRB-C, US, mm	\$ 1,855	\$ 2,039
		10.0 AL/SS-FMNR7.75-C, US, mm	\$ 1,367	\$ 1,420
		10.0 AL/SS[AL CORE]-FMNRB-C, US, mm	\$ 1,449	\$ 1,506
		10.0 AL/SS-FMNRB-C, US, mm	\$ 1,981	\$ 2,039

Atlas CF Flange Price List Aluminum / Stainless			December, 2006	
Atlas Technologies, www.AtlasUHV.com, info@AtlasUHV.com, Tel: (360) 385-3123 Fax: (360) 379-5220				
US/Metric		Ordering Number + Select Bolt Hole Format	Clearance \$	Tapped \$
12.00" 305 mm		12.0 AL/SS-WNNR9.750-C, US, mm	\$ 1,798	\$ 1,907
		12.0 AL/SS[AL CORE]-WNNRB-C, US, mm	\$ 1,989	\$ 2,079
		12.0 AL/SS-WNNRB-C, US, mm	\$ 2,907	\$ 2,992
		12.0 AL/SS-WNR9.75-C, US, mm	\$ 1,798	\$ 1,907
		12.0 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 1,989	\$ 2,079
		12.0 AL/SS-WNRB-C, US, mm	\$ 2,907	\$ 2,992
		12.0 AL/SS-FMNR9.75-C, US, mm	\$ 1,798	\$ 1,907
		12.0 AL/SS[AL CORE]-FMNRB-C, US, mm	\$ 1,989	\$ 2,079
		12.0 AL/SS-FMNRB-C, US, mm	\$ 2,907	\$ 2,992
			\$ -	\$ -
13.25" 336 mm		13.25 AL/SS-WNNR10.0-C, US, mm	\$ 1,835	\$ 1,920
		13.25 AL/SS[AL CORE]-WNNRB-C, US, mm	\$ 2,313	\$ 2,429
		13.25 AL/SS-WNNRB-C, US, mm	\$ 3,931	\$ 4,009
		13.25 AL/SS-WNR10.0-C, US, mm	\$ 1,835	\$ 1,920
		13.25 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 2,313	\$ 2,429
		13.25 AL/SS-WNRB-C, US, mm	\$ 3,931	\$ 4,009
		13.25 AL/SS-FMNR10.0-C, US, mm	\$ 1,835	\$ 1,920
		13.25 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 2,313	\$ 2,429
		13.25 AL/SS-FMNRB-C, US, mm	\$ 3,931	\$ 4,009
			\$ -	\$ -
14" 336 mm		14 AL/SS-WNNR11.75-C, US, mm	\$ 2,601	\$ 2,718
		14 AL/SS[AL CORE]-WNNRB-C, US, mm	\$ 2,929	\$ 3,060
		14 AL/SS-WNNRB-C, US, mm	\$ 4,473	\$ 4,561
		14 AL/SS-WNR11.75-C, US, mm	\$ 2,601	\$ 2,718
		14 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 2,929	\$ 3,060
		14 AL/SS-WNRB-C, US, mm	\$ 4,473	\$ 4,561
		14 AL/SS-FMNR11.75-C, US, mm	\$ 2,601	\$ 2,718
		14 AL/SS[AL CORE]-FMNRB-C, US, mm	\$ 2,929	\$ 3,060
		14 AL/SS-FMNRB-C, US, mm	\$ 4,473	\$ 4,561

Atlas CF Flange Price List Aluminum / Stainless			December, 2006	
Atlas Technologies, www.AtlasUHV.com, info@AtlasUHV.com, Tel: (360) 385-3123 Fax: (360) 379-5220				
US/Metric		Ordering Number + Select Bolt Hole Format	Clearance \$	Tapped \$
14.5" 368 mm		14.5 AL/SS-WNNR11.75-C, US, mm	\$ 2,738	\$ 3,003
		14.5 AL/SS[AL CORE]-WNNRB-C, US, mm	\$ 3,349	\$ 3,678
		14.5 AL/SS-WNNRB-C, US, mm	\$ 4,465	\$ 4,899
		14.5 AL/SS-WNR11.75-C, US, mm	\$ 2,608	\$ 3,003
		14.5 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 3,349	\$ 3,678
		14.5 AL/SS-WNRB-C, US, mm	\$ 4,465	\$ 4,899
		14.5 AL/SS-FMNR11.75-C, US, mm	\$ 2,608	\$ 3,003
		14.5 AL/SS[AL CORE]-FMNRB-C, US, mm	\$ 3,349	\$ 3,678
		14.5 AL/SS-FMNRB-C, US, mm	\$ 4,465	\$ 4,899
			\$ -	\$ -
16.5" 419 mm		16.5 AL/SS-WNNR13.75-C, US, mm	\$ 3,545	\$ 3,893
		16.5 AL/SS[AL CORE]-WNNRB-C, US, mm	\$ 3,942	\$ 4,329
		16.5 AL/SS-WNNRB-C, US, mm	\$ 5,782	\$ 6,343
		16.5 AL/SS-WNR13.75-C, US, mm	\$ 3,545	\$ 3,893
		16.5 AL/SS[AL CORE]-WNRB-C, US, mm	\$ 3,942	\$ 4,329
		16.5 AL/SS-WNRB-C, US, mm	\$ 5,782	\$ 6,343
		16.5 AL/SS-FMNR13.75-C, US, mm	\$ 3,545	\$ 3,893
		16.5 AL/SS[AL CORE]-FMNRB-C, US, mm	\$ 3,942	\$ 4,329
		16.5 AL/SS-FMNRB-C, US, mm	\$ 5,782	\$ 6,343